

OVERVIEW

- HEALTH EFFECTS OF RADON
- PREVALENCE OF RADON IN UTAH
- RADON REDUCTION
- ACTIONS UTAH CAN TAKE



Health Effects of Radon

- Lung cancer has been definitively linked to radon exposure
- Utah has the lowest rate of smoking in the nation, but lung cancer is the leading cause of cancer death in our state
- Every, year 22,000 people die from Radoninduced lung cancer in the United States



1 in 3 tested Utah homes have elevated Radon levels

- Level safe for humans: 4 picocuries
- Average radon level in Utah: 5.3 picocuries
- Highest radon levels:
 Beaver: 664
 picocuries

County	Avg. Radon Level
Wasatch Co	10.2 picocuries
Summit Co.	5.3 picocuries
Tooele Co.	5.1 picocuries
Utah Co.	4.6 picocuries
Salt Lake Co.	4.3 picocuries
Davis	4.2 picocuries

Radon is measured in picocuries (pCi) = 1 trillionth of a curie



Radon Levels in Utah

Emery County: 41 tests

3.8 pCi



28.8 pCi



Wasatch County: 1,193 tests

10.2 pCi 123 pCi

Sandy: 1,797 tests

5.5 pCi 150.4 pCi



Carbon County: 209 tests

5 pCi 280



Orem: 630 tests

4.5 pCi 358.9






Testing is Easy and Inexpensive



- Cost: \$11 for Utah residents from: radon.utah.gov
- Available at most hardware stores for \$40/test kit
- In a real estate transaction a certified radon tester can conduct test for \$100 - \$150
- Please go to our website: Radon.Utah.Gov to find a certified tester




Radon Reduction Systems





Education and Outreach Efforts

- Continuing education course for real estate agents
- Newborn program
- Partner with local health district radon coordinators
- Community presentations
- Radon poster contest





Actions Utah Can Take

Increase public awareness Test every 5 years in schools

Provide information to new homeowners

Radon
Mitigation
Assistance
Program

Tax Credit for Building Radon out of a home (RRNC)





Eleanor Divver

Radon Coordinator 801.536.0091 | edivver@utah.gov

